



Safety Data Sheet

Dynatex® 49550 Anti-Seize & Lubricating Compound

Section 1. Identification

Product Identifier Dynatex® 49550 Anti-Seize & Lubricating Compound
Synonyms 49550AL10
Manufacturer Stock
Numbers 49550AL10

Recommended use Refer to Technical Information
Uses advised against Refer to Technical Information

Manufacturer Contact
Address Dynatex a division of Soudal Accumatic
350 Ring Road
Elizabethtown, KY, 42701
USA

Phone	Emergency Phone	Fax
(270) 769-3385	(800) 424-9300 CHEMTREC	(270) 769-6418

Section 2. Hazards Identification

Classification N/A
Signal Word
Pictogram
Hazard Statements N/A
Precautionary Statements
Response N/A
Prevention N/A
Storage N/A
Disposal N/A

Ingredients of unknown toxicity 0%

Hazards not Otherwise
Classified

GHS Label Element Not a hazardous substance or mixture.

GHS Classification Not a hazardous substance or mixture.

Section 3. Ingredients

CAS	Ingredient Name	Weight %
Not applicable	There are no additional ingredients present which, within the current knowledge	Unknown

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First-Aid Measures

Eye Contact	Immediately flush eyes with water for at least 15 minutes. Get medical attention if irritation develops.
Skin Contact	Wash from skin with soap and water. If irritation persists, seek medical aid.
Ingestion	Do not induce vomiting. Keep warm. Get medical attention.
Inhalation	Remove to fresh air. Seek medical attention if irritation persists.

Section 5. Fire Fighting Measures

Suitable Extinguishing Media	Carbon dioxide, water fog, foam
Unsuitable Extinguishing Media	None known
Special Fire Fighting Procedures	Treat as oil fire; use self-contained breathing apparatus.
Unusual Fire or Explosion Hazards	None known

Section 6. Accidental Release Measures

Steps to be taken in case of spill or release	Stop flow, scrape, wipe, mop up or absorb with diatomaceous earth or other inert material. Disposal should be in accordance with local, state, and federal regulations.
---	---

Section 7. Handling and Storage

Storage	Avoid storage near open flame or other sources of ignition.
---------	---

Section 8. Exposure Controls/Personal Protection

Section 10. Stability and Reactivity

Chemical Stability	Stable
Materials to Avoid / Incompatibility	Avoid contact with strong oxidizing agents.
Hazardous polymerization	Will not occur
Hazardous Decomposition Products	Carbon monoxide, carbon dioxide, trace metallic and fluorine compounds
Conditions to avoid	Do not heat above flash point.

Section 11. Toxicological Information

Carcinogenicity	No ingredient in this product is an IARC, NTP or OSHA listed carcinogen.
-----------------	--

Section 12. Ecological Information

Fate and Effects in Waste Water Treatment Plants	Complete information is not yet available.
Environmental Fate and Distribution	Complete information is not yet available.
Environmental Effects	Complete information is not yet available.

Section 13. Disposal

We make no guarantee or warranty of any kind that the use or disposal of this product complies with all local, state, or federal laws. It is also the obligation of each user of the product mentioned herein to determine and comply with the requirements of all applicable statutes.

Section 14. Transport Information

UN Number	N/A
UN Proper Shipping Name	N/A
DOT Classification	N/A
Packing Group	N/A

Section 15. Regulatory Information

The contents of this MSDS comply with the OSHA Hazard Communication Standard 29 CFR 1910.1200.

Section 16. Other Information

Revision Date	12/21/2015
---------------	------------

Disclaimer

The data contained herein is based upon information that Soudal Accumetric believes to be reliable. Users of this product have the responsibility to determine that suitability of use and to adopt all necessary precautions to ensure the safety and protection of property and persons involved in said use. All statements or suggestions are made without warranty, expressed or implied, regarding the accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof.